

## **IN THE CLAIMS**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 1-7 and 9-13 and ADD new claims 14-21 in accordance with the following:

1. (Currently Amended) A method of installing a device driver in a computer to drive a device that performs a predetermined function, the method comprising:

installing in the computer ~~an input~~ the device driver ~~while storing~~ using a device driver file provided from the outside; and

~~re-installing the input device driver in the computer using the stored~~ copying and storing the device driver file.

2. (Currently Amended) The method of claim 1, wherein the ~~installing of the input device driver~~ method further comprises re-installing the device driver in the computer using the stored device driver file when re-installation of the device driver is requested. ÷

~~determining whether the device driver file is input;~~

~~preparing for installation of the device driver in the computer when determined that the device driver file is input;~~

~~installing the input device driver in the computer; and~~

~~copying and storing the device driver file in the computer.~~

3. (Currently Amended) The method of ~~claim 1~~ claim 2, wherein the method further comprises generating an icon for re-installation of the device driver after the device driver file is copied and stored.

4. (Currently Amended) The method of claim 2, wherein the installing of the ~~input~~ device driver further comprises re-booting the computer after the device driver file is copied and stored.

5. (Currently Amended) The method of ~~claim 4~~ claim 2, wherein the re-installing of the ~~input~~ device driver comprises:

determining whether the device driver is requested to be re-installed in the computer;  
determining whether a previously installed device driver exists in the computer, when determined that the device driver is requested to be re-installed in the computer;

uninstalling the previously installed device driver, if determined that the previously installed device driver exists in the computer;

preparing for reinstallation of the device driver in the computer using the stored device driver file, when determined that the previously installed device driver does not exist in the computer or after the previously installed device driver is uninstalled; and

re-installing the device driver in the computer using the stored device driver file.

6. (Currently Amended) The method of claim 5, wherein the re-installing of the ~~input~~ device driver further comprises:

registering a location where the device driver file is stored, after the previously installed device driver is uninstalled; and

re-booting the computer and preparing for reinstallation of the device driver in the computer using the stored device driver file, according to the location of the device driver file,

wherein the preparing for reinstallation of the device driver in the computer using the stored device driver file comprises preparing for re-installation of the device driver in the computer using the stored device driver file, when determined that the previously installed device driver does not exist in the computer, or after the computer is re-booted.

7. (Currently Amended) The method of claim 5, wherein the re-installing of the ~~input~~ device driver further comprises re-booting the computer after the device driver is re-installed in the computer.

8. (Original) The method of claim 1, wherein the device predetermined function is at least one printing, scanning, faxing, and digital image taking functions.

9. (Currently Amended) An apparatus installing a device driver to drive a device that performs a predetermined function, the apparatus comprising:

a first driver installation unit installing in the apparatus ~~an input~~ the device driver while ~~storing~~ using a device driver file input from the outside while storing a device driver file; and

a second driver installation unit, which re-installs the device driver using the stored device driver file input from the first driver installation when re-installation of the device driver is requested.

10. (Currently Amended) The apparatus of claim 9, wherein the first driver installation unit comprises:

a file examination unit, which examines whether the device driver file is input and outputs an examination result as a first control signal;

a first installation preparing unit, which prepares for installation of the device driver in response to the first control signal and outputs a preparation completion signal representing whether the preparation of installation is completed;

a first installation unit, which installs the device driver in response to the preparation completion signal; and

a storing unit, which copies and stores the device driver file.

11. (Currently Amended) The apparatus of claim 9, wherein the second driver installation unit comprises:

an installation request examination unit, which examines whether a re-installation of the device driver is requested and outputs an examination result as a second control signal;

a driver examination unit, which examines whether a previously installed device driver exists in response to the second control signal and outputs another examination result as a third control signal;

a driver uninstallation unit, which uninstalls the previously installed device driver in response to the third control signal and outputs an uninstallation completion signal representing whether the uninstallation is completed;

a second installation preparing unit, which prepares for re-installation of the device driver using the stored device driver file in response to the third control signal, or in response to the uninstallation completion signal, and outputs a preparation completion signal representing whether the preparation is completed; and

a second installation unit, which re-installs the device driver ~~by reading~~ using the stored device driver file in response to the preparation completion signal input from the second installation preparation unit.

12. (Currently Amended) A machine-readable storage storing at least one program controlling a computing device according to a process comprising:

receiving ~~an input~~ a device driver file;  
installing the ~~input device driver in the computer~~; and  
copying and storing in the computer the device drive file. ~~a file of the input device driver during the installing of the device driver; and~~  
~~allowing re-installation of the device driver using the stored device driver file.~~

13. (Currently Amended) The machine-readable storage of claim 12, wherein the ~~allowing of the re-installation process further comprises~~ allowing re-installation of the device driver in the computer using the stored device driver file when re-installation of the device driver is requested. ÷

~~generating a device driver re-installation icon; and~~  
~~upon selecting the device driver re-installation icon, re-installing the input device driver using the stored device driver file without accessing the input device driver file.~~

14. (New) The machine-readable storage of claim 12, wherein the installing of the device driver comprises:

determining whether the device driver file is input;  
preparing for installation of the device driver in the computer when determined that the device driver file is input; and  
installing the device driver in the computer.

15. (New) The machine-readable storage of claim 13, wherein the allowing the re-installation comprises:

- generating a device driver re-installation icon; and
- upon selecting the device driver re-installing icon, re-installing the input device driver using the stored device driver file without accessing the input device driver file.

16. (New) The machine-readable storage of claim 13, wherein the allowing of the re-installation comprises:

- determining whether the device driver is requested to be re-installed in the computer;
- determining whether a previously installed device driver exists in the computer, when determined that the device driver is requested to be re-installed in the computer;
- uninstalling the previously installed device driver, if determined that the previously installed device driver exists in the computer;
- preparing for reinstallation of the device driver in the computer using the stored device driver file, when determined that the previously installed device driver does not exist in the computer or after the previously installed device driver is uninstalled; and
- re-installing the device driver in the computer using the stored device driver file.

17. (New) The method of claim 1, wherein the installing of the device driver comprises:

- determining whether the device driver file is input;
- preparing for installation of the device driver in the computer when determined that the device driver file is input; and
- installing the device driver in the computer.

18. (New) The method of claim 1, wherein the installing of the device driver is performed after the copying and storing of the device driver file is performed.

19. (New) The method of claim 1, wherein the copying and storing of the device driver file is performed after the installing of the device driver is performed.

20. (New) The method of claim 1, wherein the copying and storing of the device driver file and the installing of the device driver are performed, at the same time.

21. (New) A method of installing a device driver in a computer to drive a device that performs a predetermined function, the method comprising:
- inputting files having at least a device driver file used in installing in the computer the device driver; and
  - copying and storing the device driver file from among the input files.